

## Sums of Sequences

ID: 11134

 Time Required  
 60 minutes

## Activity Overview

*In this activity, students will develop formulas for the sum of arithmetic and geometric sequences. Students will then find the sum of sequences using the formulas developed.*

## Topic: Sequences, Series &amp; Functions

- *Arithmetic Sequences*
- *Sum of Arithmetic Sequences*
- *Geometric Sequences*
- *Sum of Geometric Sequences*

## Teacher Preparation and Notes

- *Before the activity, the teacher should make sure students are familiar with arithmetic and geometric sequences, including notation for sequences.*
- *Teacher will need to lead a discussion about student findings in the beginning of each part of the activity.*
- *The sum of a geometric sequence is only for sequences beginning with 1.*
- *Formulas needed:  $\frac{n(a_1 + a_n)}{2}$ ,  $\frac{1 - r^n}{1 - r}$*
- ***To download the student worksheet, go to [education.ti.com/exchange](http://education.ti.com/exchange) and enter "11134" in the quick search box.***

## Associated Materials

- *Alg2Week04\_SeqSums\_worksheet\_TI-84.doc*

## Suggested Related Activities

- *Double Tree — 9771*
- *Geometric Sequences & Series — 8682*
- *Arithmetic Sequences & Series — 8642*

**Problem 1 – Sum of Arithmetic Sequences**

In the first part of the activity, students will develop the formula for an arithmetic sequence. Students are given lists and will perform a numeric proof to find the formula.

Students will complete the following:

**Step 1:** Examine the sequence and enter it into L1 using the stat editor.

**Step 2:** In L2, type the sequence in reverse order.

**Step 3:** In L3, type the formula  $L1 + L2$ .

After students complete the first problems, the teacher should lead a discussion to have students determine the formula based on the process they followed.

Questions to ask may include:

- How did you find the same sum each time?
- What number did you multiply by each time?
- How is this number related to the sequence?
- Why doesn't this process give us the answer immediately?
- How do we get to our answer?

Students can work on the problems at the bottom of Page 1 on the worksheet in class or for homework.

L1	L2	L3	3
1	10	-----	
2	9		
3	8		
4	7		
5	6		
6	5		
7	4		
L3 = L1 + L2			

L1	L2	L3	3
1	10	11	
2	9	11	
3	8	11	
4	7	11	
5	6	11	
6	5	11	
7	4	11	
L3(1) = 11			

L1	L2	L3	3
-3	15	12	
0	12	12	
3	9	12	
6	6	12	
9	3	12	
12	0	12	
15	-3	12	
L3(1) = 12			

**Problem 2 – Sum of Geometric Sequences**

For the second part of the activity, students will determine the formula for the sum of a geometric sequence. Students are given sequences and will follow steps to develop the sum formula.

Students will complete the following:

**Step 1:** Examine the given sequence and enter it into L1 using the stat editor.

**Step 2:** Determine the common ratio between the terms of the sequence. Multiply each term in L1 by the common ratio by entering  $L1 * (\text{your determined common ratio})$ .

L1	L2	L3	1
1	-----	-----	
2			
4			
8			
16			
L1(6) =			

L1	L2	L3	2
1	-----	-----	
2			
4			
8			
16			
-----			
L2 = L1 * 2			

**Step 3:** Find the difference between the two remaining values. ( $1 - 32 = -31$ )

**Step 4:** Determine what number you need to **divide** the difference by in order to get the sum of the values in L1.

L1	L2	L3	Σ
1	2	-----	
2	4		
4	8		
8	16		
16	32		
-----	-----		
L2(1)=2			

After or while students work, the teacher should help students relate the sum of the series, calculated mentally or by using the calculator, to the process they are following in these steps. Remind students they are working on finding a formula to work for every sequence, not just the example sequences given in the activity.

Students will probably need to adjust their conjectured formula after repeating the exercise for the next two problems. The teacher should make sure students have the correct formula before answering the questions.

Questions to ask may include:

- Why do the diagonals cancel out?
- What role does the common ratio play in having values cancel out?
- How can you write the terms using the common ratio?
- Why does dividing make sense for this formula?
- Compare the process for arithmetic sequences to geometric sequences.

Students can work on the problems at the bottom of Page 2 of the worksheet in class or for homework.

**Extension – More Sums of Geometric Sequences**

Have students start the sequence with a number other than one. How does this affect the sum?

This should help develop the complete formula and allow the teacher to lead the class in an algebraic proof of the formula.

**Solutions – Student worksheet**
**Problem 1 – Sum of Arithmetic Sequences**

- The sums are the same.
- $11 \cdot 10 = 110$
- The sum of column C is twice the sum of column A.
- The form of the formula given by students may vary.

$$\frac{n(a_1 + a_n)}{2}$$

$$\bullet \frac{6(2+12)}{2} = 42$$

$$\frac{8(7+35)}{2} = 168$$

**Problem 2 – Sum of Geometric Sequences**

- $2^0, 2^1, 2^2, 2^3, 2^4; 1 - 2 \cdot 16 = 1 - 2 \cdot 2^4 = 1 - 2^5$
- The form of the formula given by students may vary.

$$\frac{1-r^n}{1-r}$$

$$\bullet \frac{1 - \left(\frac{1}{2}\right)^6}{1 - \left(\frac{1}{2}\right)} = \frac{63}{32} = 1.96875$$

$$\frac{1 - \left(\frac{1}{3}\right)^5}{1 - \left(\frac{1}{3}\right)} = \frac{121}{81} \approx 1.49383$$

$$\frac{1 - (-2)^7}{1 - (-2)} = 43$$